

KTB Bonsmara

17th Annual Production sale with guest seller Zikali Bonsmara



1 October '26
12h00

Exwell farm (Cathcart)

25 Bulls
40 Pregnant
Females

*Registered animals sold under the Auspices
of the Bonsmara Breeders Society*



ENQUIRIES: Kenny Brown 083 469 9820 | Kyle Brown 078 397 5177
Lindelwe Makwetu 073 415 8074 | AUCTIONEER: Ian Sheard 082 410 1712

For more details, catalogue and conditions of sale please visit www.sheard.co.za

E&OE





SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoefteling wat onderhewig is aan die bepalinge van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koele en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1 THE RED CATTLE FARM 2

3

DEF 100066 P

7

DEF 050022

8

GHI 070076 HH(c)

9

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

10

2015-02-03 5
SP 6

Parentage Sire Dam

DNA ✓

Genomic ✓

11

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

12

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Musclered

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



5 L♂ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves

1 Calving Ease Value EBVs Birth Direct & Maternal

Calf Growth Value EBV Wean Direct

3 Fertility Value EBVs Cow & Heifer Fertility, EBV Longevity

Milk Value EBV Wean Maternal

4 Maintenance Value EBVs Mature weight & Milk



2 L♀ GIX Weaner Calf Value

Selection of:

- Heavier weaning weights,
- with more milk,
- but restricted birth weight



7 L♀ GIX Carcass Value


Selection for higher meat yield on carcass



6 L♂ GIX Growth Value

Selection of efficient growers on veld & in the feedlot

INTERPRETATION OF BREEDING VALUE INDICES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CF.E	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder / Hip height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1	
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
KT B 240110
2024-10-02
B

BOTTERFONTEIN ESTATES CC
KT B 170054

KT B 170075
AGE/CALV. 8/4
AVG. Wt/CALV. 101/4
ICP 603

KT B 140044
AGE/CALV. 12/8
AVG. Wt/CALV. 106/8
JRP 100044
KT B 030087
AGE/CALV. 12/8
AVG. Wt/CALV. 106/8
NPT 080235
KT B 030157
AGE/CALV. 12/8
AVG. Wt/CALV. 97/7
KT B 110090
AGE/CALV. 13/9
AVG. Wt/CALV. 104/8
ICP 472
MULTIPLE SIRES
KT B 120106
AGE/CALV. 9/4
AVG. Wt/CALV. 100/4
ICP 520
NPT 090002
KT B 100010
AGE/CALV. 8/4
AVG. Wt/CALV. 95/4

Calving Ease Value 89
Weaner Calf Value 131
Fertility Value 107
Maintenance Value 80
Cow Value 124
Growth Value -
Carcass Value 104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	129	106	110	102	98	120	131	107	118	122	121	124	103	89	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	103	111	-	-	-	-

Myostatin	
Q204X	0
NT82I	0
F94L	0

Parentage Sire Dam
DNA ✓ ✓
Genomic

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 2
KT B 240052
2024-08-01
SP

BOTTERFONTEIN ESTATES CC
DAJ 150071

KT B 130116
AGE/CALV. 13/10
AVG. Wt/CALV. 94/8
ICP 396

TOR 070049
AGE/CALV. 7/6
AVG. Wt/CALV. 103/6
FCT 000065
RAI 000032
AGE/CALV. 7/6
AVG. Wt/CALV. 103/6
CEF 990287
DAJ 060120
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6
LAR 070055
JRP 040007
AGE/CALV. 14/10
AVG. Wt/CALV. 106/11
JRP 000028
KT B 990105
AGE/CALV. 13/9
AVG. Wt/CALV. 107/9
DAJ 120117
AGE/CALV. 8/5
AVG. Wt/CALV. 99/5
ICP 387
JRP 100044
KT B 090086
AGE/CALV. 9/4
AVG. Wt/CALV. 98/4
ICP 518

Calving Ease Value 111
Weaner Calf Value 107
Fertility Value 101
Maintenance Value 95
Cow Value 108
Growth Value 99
Carcass Value 99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	104	101	99	96	98	114	111	101	112	103	105	105	100	99	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	91	95	-	-	-	-

Myostatin	
Q204X	0
NT82I	0
F94L	0

Parentage Sire Dam
DNA
Genomic

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 3
KT B 240154
2024-10-04
SP

BOTTERFONTEIN ESTATES CC
NPT 190086

KT B 200056
AGE/CALV. 6/4
AVG. Wt/CALV. 116/3
ICP 466

NPT 160050
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7
JOY 120020
NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7
JPL 090108
NPT 120296
AGE/CALV. 4/2
AVG. Wt/CALV. 88/2
NPT 060011
NPT 000094
AGE/CALV. 12/9
AVG. Wt/CALV. 107/8
DAJ 090086
KT B 110016
AGE/CALV. 5/1
AVG. Wt/CALV. 96/1
NPT 150122
AGE/CALV. 9/6
AVG. Wt/CALV. 103/7
ICP 369
NPT 080235
KT B 130079
AGE/CALV. 12/7
AVG. Wt/CALV. 101/6
ICP 527

Calving Ease Value 80
Weaner Calf Value 134
Fertility Value 89
Maintenance Value 78
Cow Value 116
Growth Value 117
Carcass Value 123

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	130	115	110	91	78	119	131	118	114	125	120	125	120	98	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
116	103	99	-	-	-	-

Myostatin	
Q204X	0
NT82I	1
F94L	0

Parentage Sire Dam
DNA ✓ ✓
Genomic

REMARKS:

LOGIX EBV Analysis: 2026-09-17



BULLE

LOT 4 BOTTERFONTEIN ESTATES CC



KTB 240135
2024-10-11
SP

Ouerskap Vaar Moer

DNS
Genomies

DAJ 150071



KTB 140169
OUD/KALW. 11/7
GEM. SI/KALW. 102/7
TKP 425

TOR 070049

FCT 000065

RAI 000032
OUD/KALW. 7/6
GEM. SI/KALW. 103/6

DAJ 120117

CEF 990287

OUD/KALW. 8/5
GEM. SI/KALW. 99/5
TKP 387

DAJ 060120
OUD/KALW. 8/6
GEM. SI/KALW. 104/6

NPT 110168

NPT 060011

NPT 050252
OUD/KALW. 7/4
GEM. SI/KALW. 101/4

KTB 100048

OUD/KALW. 5/2
GEM. SI/KALW. 102/2
TKP 496

KTB 040235

KTB 030117
OUD/KALW. 10/6
GEM. SI/KALW. 100/6

Geboortegemak Waarde 88		Speenkalf Waarde 120		Vrugbaarheids- waarde 102		Onderhouds- waarde 79		Koeiwaarde 113		Groei- waarde 112		Karkas- waarde 111			
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	116	117	113	92	102	111	125	113	118	123	109	116	106	106	104
Spn. Indeks 104		365D Indeks 108		540D Indeks 104		GDT Indeks -		VOV Indeks -		Skrotum -		LH -		Miostatien	
														Q204X	0
														NT821	0
														F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 5 ZIKALI FARMING

EKO 230031 Pp(c)
2023-10-31
SP

Ouerskap Vaar Moer

DNS
Genomies ✓



EKO 180011 Pp(c)
OUD/KALW. 7/2
GEM. SI/KALW. 109/2
TKP 699

SYF 150097 HH(c)

SYF 120042

SYF 070104

OUD/KALW. 14/12
GEM. SI/KALW. 98/10

SYF 110272

OUD/KALW. 14/12
GEM. SI/KALW. 106/9
TKP 406

TOR 050247

ADV 050041

RAI 990034

RAI 990014

OUD/KALW. 7/5
GEM. SI/KALW. 103/5

EKO 130019

OUD/KALW. 6/3
GEM. SI/KALW. 91/2
TKP 373

HDT 060002 Pp(c)

JL 100546

OUD/KALW. 5/2
GEM. SI/KALW. 103/2

Geboortegemak Waarde 109		Speenkalf Waarde 120		Vrugbaarheids- waarde 105		Onderhouds- waarde 84		Koeiwaarde 120		Groei- waarde 119		Karkas- waarde 131			
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	121	94	115	89	104	123	126	121	113	118	97	116	117	119	76
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostatien	
110		103		104		-		-		-		-		Q204X 0	
														NT821 0	
														F94L 0	

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 6 ZIKALI FARMING

EKO 230023 HH(c)
2023-10-27
SP

Ouerskap Vaar Moer

DNS
Genomies ✓



EKO 180054 HH(c)
OUD/KALW. 7/3
GEM. SI/KALW. 105/3
TKP 354

SYF 150097 HH(c)

SYF 120042

SYF 070104

OUD/KALW. 14/12
GEM. SI/KALW. 98/10

SYF 110272

OUD/KALW. 14/12
GEM. SI/KALW. 106/9
TKP 406

JL 120172 HH(c)

LAR 060034

ADV 050041

OUD/KALW. 15/11
GEM. SI/KALW. 100/9

WSS 140021

OUD/KALW. 10/8
GEM. SI/KALW. 101/7
TKP 415

LAR 070037

JL 090361

OUD/KALW. 12/9
GEM. SI/KALW. 106/8

FUZ 100131

DB 020001

OUD/KALW. 13/10
GEM. SI/KALW. 105/10

Geboortegemak Waarde 102		Speenkalf Waarde 104		Vrugbaarheids- waarde 92		Onderhouds- waarde 93		Koeiwaarde 99		Groei- waarde 121		Karkas- waarde 110				
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar	
105	111	85	97	87	92	111	115	114	105	107	98	102	99	94	68	
Spn. Indeks													Miostatien			
365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Q204X			0	
95		113		107		-		-		-		NT821			0	
												F94L			0	

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 7
BOTTERFONTEIN ESTATES CC

KT B 240256
2024-12-04
B

Parentage Sire Dam

DNA ☒ ☒

Genomic

KT B 200282

KT B 160213
AGE/CALV. 9/7
AVG. Wt/CALV. 105/6
ICP 370

KT B 140209

KT B 150130
AGE/CALV. 10/7
AVG. Wt/CALV. 110/7
ICP 418

MULTIPLE SIREs

KT B 120075
AGE/CALV. 13/9
AVG. Wt/CALV. 97/8
ICP 396

NPT 110099

KT B 110104
AGE/CALV. 6/2
AVG. Wt/CALV. 108/2

JRP 070067

KT B 100049
AGE/CALV. 6/3
AVG. Wt/CALV. 106/2

DAJ 090086

KT B 090152
AGE/CALV. 6/2
AVG. Wt/CALV. 96/1

Calving Ease Value
90

Weaner Calf Value
130

Fertility Value
110

Maintenance Value
81

Cow Value
126

Growth Value
-

Carcass Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	124	114	110	90	115	116	122	104	113	121	119	121	104	88	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	100	108	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 8
BOTTERFONTEIN ESTATES CC

KT B 240245
2024-11-09
SP

Parentage Sire Dam

DNA

Genomic

JOY 190050

KT B 150113
AGE/CALV. 10/6
AVG. Wt/CALV. 99/6
ICP 442

JOY 130002

JOY 150066
AGE/CALV. 11/8
AVG. Wt/CALV. 100/8
ICP 410

KT B 090045

KT B 090056
AGE/CALV. 11/7
AVG. Wt/CALV. 96/4
ICP 453

GCD 090175

JOY 100107
AGE/CALV. 15/14
AVG. Wt/CALV. 98/14

JRP 070022

LAR 020360
AGE/CALV. 13/10
AVG. Wt/CALV. 110/9

NPT 040079

KT B 060057
AGE/CALV. 7/3
AVG. Wt/CALV. 107/3

KT B 050060

KT B 060054
AGE/CALV. 13/9
AVG. Wt/CALV. 104/9

Calving Ease Value
89

Weaner Calf Value
123

Fertility Value
98

Maintenance Value
82

Cow Value
109

Growth Value
-

Carcass Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	134	74	129	90	101	108	126	113	126	122	113	120	108	89	105

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
114	105	115	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 9
BOTTERFONTEIN ESTATES CC

KT B 240048
2024-07-18
SP

Parentage Sire Dam

DNA ☒

Genomic

KT B 170054

KT B 160171
AGE/CALV. 9/7
AVG. Wt/CALV. 103/5
ICP 394

KT B 140044

KT B 110090
AGE/CALV. 13/9
AVG. Wt/CALV. 104/8
ICP 472

GCD 130126

KT B 130172
AGE/CALV. 5/1
AVG. Wt/CALV. 116/1
ICP -

JRP 100044

KT B 030087
AGE/CALV. 12/8
AVG. Wt/CALV. 106/8

NPT 080235

KT B 030157
AGE/CALV. 12/8
AVG. Wt/CALV. 97/7

GCD 090112

GCD 030031
AGE/CALV. 14/13
AVG. Wt/CALV. 103/11

KT B 090045

KT B 080185
AGE/CALV. 11/6
AVG. Wt/CALV. 103/6

Calving Ease Value
82

Weaner Calf Value
136

Fertility Value
121

Maintenance Value
78

Cow Value
134

Growth Value
109

Carcass Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
78	132	112	123	116	110	122	135	110	126	125	120	123	114	89	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	104	106	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17



Tiaan Jacobs: 064 088 1762
Email: tiaan.voermol@gmail.com




Donald Knott
082 321 0673



SHAUN PRETORIUS
045 843 1076

Saamstaan



Voere

Dewald Vosloo 083 564 5104

BULLE

LOT 10
BOTTERFONTEIN ESTATES CC

KTB 240077
2024-09-02
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies ☒

NPT 190086

KTB 190055
OUD/KALW. 7/4
GEM. SI/KALW. 108/4
TKP 446

NPT 160050

NPT 150122
OUD/KALW. 9/6
GEM. SI/KALW. 103/7
TKP 369

DAJ 150071

KTB 160202
OUD/KALW. 9/7
GEM. SI/KALW. 104/7
TKP 379

JOY 120020

NPT 070295
OUD/KALW. 11/7
GEM. SI/KALW. 102/7

JPL 090108

NPT 120296
OUD/KALW. 4/2
GEM. SI/KALW. 88/2

TOR 070049

DAJ 120117
OUD/KALW. 8/5
GEM. SI/KALW. 99/5

GCD 130126

KTB 130235
OUD/KALW. 6/3
GEM. SI/KALW. 118/2

Geboortegemak Waarde 88	Speenkalf Waarde 129	Vrugbaarheids-waarde 110	Onderhouds-waarde 84	Koeiwaarde 128	Groei-waarde 116	Karkas-waarde 121
--	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	122	120	113	101	98	129	130	117	115	116	116	120	122	102	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	96	95	-	-	-	-

Miostatien	
Q204X	0
NT821	1
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 11
ZIKALI FARMING

EKO 230015 HH(c)
2023-10-18
SP

Ouerskap Vaar Moer

DNS ☒

Genomies ☒

SYF 190045 HH(c)

EKO 150025
OUD/KALW. 10/8
GEM. SI/KALW. 107/7
TKP 375

SYF 150097 HH(c)

SYF 110272
OUD/KALW. 14/12
GEM. SI/KALW. 106/9
TKP 406

TOR 100161

WSS 100393 P
OUD/KALW. 9/8
GEM. SI/KALW. 103/7
TKP 365

SYF 120042

SYF 070104
OUD/KALW. 14/12
GEM. SI/KALW. 98/10

LAR 060034

ADV 050041
OUD/KALW. 15/11
GEM. SI/KALW. 100/9

MMJ 030164

TOR 060039
OUD/KALW. 11/8
GEM. SI/KALW. 114/8

WSS 070018 P

JJC 070070
OUD/KALW. 16/13
GEM. SI/KALW. 105/12

Geboortegemak Waarde 89	Speenkalf Waarde 120	Vrugbaarheids-waarde 118	Onderhouds-waarde 71	Koeiwaarde 117	Groei-waarde 122	Karkas-waarde 122
--	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	122	100	127	100	117	116	126	125	114	137	109	121	119	108	80

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	113	113	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 12
ZIKALI FARMING

EKO 230011 HH(c)
2023-10-12
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies ☒

VV 040046 HH(c)

EKO 150011 HH(c)
OUD/KALW. 10/8
GEM. SI/KALW. 99/7
TKP 383

VV 010292

VV 000092
OUD/KALW. 17/13
GEM. SI/KALW. 104/11
TKP 364

TOR 100161

JMP 040105 P
OUD/KALW. 13/10
GEM. SI/KALW. 96/10
TKP 366

B 970059

VV 960374
OUD/KALW. 10/8
GEM. SI/KALW. 107/8

VV 960318

VV N 0106
OUD/KALW. 12/10
GEM. SI/KALW. 98/9

MMJ 030164

TOR 060039
OUD/KALW. 11/8
GEM. SI/KALW. 114/8

JMP 010116

JMP 990122
OUD/KALW. 6/4
GEM. SI/KALW. 103/4

Geboortegemak Waarde 112	Speenkalf Waarde 110	Vrugbaarheids-waarde 121	Onderhouds-waarde 99	Koeiwaarde 123	Groei-waarde 107	Karkas-waarde 112
---	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	101	111	122	119	113	116	109	107	99	99	83	95	92	138	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
99	112	108	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 13 BOTTERFONTEIN ESTATES CC



KTB 240207
2024-10-03
SP

Parentage Sire Dam

DNA ☒
Genomic

NPT 200026



KTB 170223
AGE/CALV. 8/5
AVG. Wt/CALV. 106/5
ICP 467

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. Wt/CALV. 106/6
ICP 438

JOY 130092

KTB 140218
AGE/CALV. 8/4
AVG. Wt/CALV. 108/4
ICP 388

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. Wt/CALV. 104/5

NPT 120136
NPT 090107
AGE/CALV. 10/7
AVG. Wt/CALV. 105/6

KVB 080089

JOY 110054
AGE/CALV. 15/12
AVG. Wt/CALV. 108/12

NPT 040079

KTB 040010
AGE/CALV. 12/7
AVG. Wt/CALV. 98/6

Calving Ease
Value
95

Weaner Calf
Value
141

Fertility
Value
90

Maintenance
Value
78

Cow Value
125

Growth
Value
111

Carcass
Value
116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	134	107	125	88	87	111	132	116	130	125	123	132	117	96	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	107	107	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 14 BOTTERFONTEIN ESTATES CC



KTB 240141
2024-10-28
SP

Parentage Sire Dam

DNA ☐
Genomic

DAJ 150071



KTB 140195
AGE/CALV. 11/7
AVG. Wt/CALV. 111/7
ICP 427

TOR 070049

DAJ 120117
AGE/CALV. 8/5
AVG. Wt/CALV. 99/5
ICP 387

KTB 050060

KTB 120006
AGE/CALV. 10/7
AVG. Wt/CALV. 99/7
ICP 417

FCT 000065

RAI 000032
AGE/CALV. 7/6
AVG. Wt/CALV. 103/6

CEF 990287

DAJ 060120
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6

CEF 010393

KTB 010126
AGE/CALV. 14/10
AVG. Wt/CALV. 101/10

NPT 040079

KTB 040071
AGE/CALV. 11/6
AVG. Wt/CALV. 97/4

Calving Ease
Value
112

Weaner Calf
Value
119

Fertility
Value
103

Maintenance
Value
95

Cow Value
123

Growth
Value
101

Carcass
Value
105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	103	128	114	100	97	114	109	104	108	102	106	106	97	104	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	97	97	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 15 BOTTERFONTEIN ESTATES CC



KTB 240182
2024-10-08
SP

Parentage Sire Dam

DNA ☒
Genomic

KTB 200282



KTB 180066
AGE/CALV. 8/5
AVG. Wt/CALV. 104/5
ICP 387

KTB 140209

KTB 150130
AGE/CALV. 10/7
AVG. Wt/CALV. 110/7
ICP 418

KTB 150029

KTB 110006
AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 478

NPT 110099

KTB 110104
AGE/CALV. 6/2
AVG. Wt/CALV. 108/2

JRP 070067

KTB 100049
AGE/CALV. 6/3
AVG. Wt/CALV. 106/2

NPT 110168

KTB 120190
AGE/CALV. 13/11
AVG. Wt/CALV. 109/11

MULTIPLE SIRES

KTB 060159
AGE/CALV. 7/3
AVG. Wt/CALV. 101/3

Calving Ease
Value
82

Weaner Calf
Value
143

Fertility
Value
106

Maintenance
Value
73

Cow Value
129

Growth
Value
-

Carcass
Value
117

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	139	104	107	85	108	123	132	113	114	134	119	127	112	96	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
123	110	108	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 16 BOTTERFONTEIN ESTATES CC



KTB 240168
2024-10-12
SP

Ouerskap Vaar Moer

DNS ☒ ☒
 Genomies



KTB 210126

KTB 210040
OUD/KALW. 5/3
GEM. SI/KALW. 104/2
TKP 406

CCV 150096

KTB 180059
OUD/KALW. 7/4
GEM. SI/KALW. 110/4
TKP 429

KTB 170054

KTB 070076
OUD/KALW. 15/12
GEM. SI/KALW. 93/12
TKP 412

WAT 090154

CCV 110023
OUD/KALW. 8/3
GEM. SI/KALW. 105/3

DAJ 150071

KTB 150125
OUD/KALW. 10/8
GEM. SI/KALW. 103/8

KTB 140044

KTB 110090
OUD/KALW. 13/9
GEM. SI/KALW. 104/8

KTB 040235

KTB 970100
OUD/KALW. 13/9
GEM. SI/KALW. 103/9

**Geboortegemak
Waarde
93**

**Speenkalf
Waarde
120**

**Vrugbaarheids-
waarde
106**

**Onderhouds-
waarde
80**

**Koeiwaarde
115**

**Groei-
waarde
-**

**Karkas-
waarde
106**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	123	98	105	100	96	125	124	104	110	123	117	115	108	93	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	102	92	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 17 ZIKALI FARMING

EKO 230055 HH(c)
2023-11-17
SP

Ouerskap Vaar Moer

DNS ☒ ☒
 Genomies



EKO 180038 HH(c)

EKO 140034 HH(c)
OUD/KALW. 10/6
GEM. SI/KALW. 96/5
TKP 441

JL 120172 HH(c)

EKO 140027
OUD/KALW. 5/2
GEM. SI/KALW. 91/2
TKP 417

TOR 100197

EKO 110026
OUD/KALW. 12/10
GEM. SI/KALW. 97/8
TKP 365

LAR 070037

JL 090361
OUD/KALW. 12/9
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023
OUD/KALW. 5/2
GEM. SI/KALW. 96/2

FCT 050127

TOR 030013
OUD/KALW. 8/6
GEM. SI/KALW. 99/6

AG 070458

**Geboortegemak
Waarde
100**

**Speenkalf
Waarde
99**

**Vrugbaarheids-
waarde
110**

**Onderhouds-
waarde
111**

**Koeiwaarde
104**

**Groei-
waarde
95**

**Karkas-
waarde
82**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	101	90	88	86	117	118	97	92	96	89	85	86	89	77	84

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	95	96	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 18 ZIKALI FARMING

EKO 230072 HH(c)
2023-12-08
SP

Ouerskap Vaar Moer

DNS ☒ ☒
 Genomies



EKO 180038 HH(c)

EKO 150045 HH(c)
OUD/KALW. 9/5
GEM. SI/KALW. 102/3
TKP 459

JL 120172 HH(c)

EKO 140027
OUD/KALW. 5/2
GEM. SI/KALW. 91/2
TKP 417

TOR 100197

EKO 120028
OUD/KALW. 12/10
GEM. SI/KALW. 99/9
TKP 364

LAR 070037

JL 090361
OUD/KALW. 12/9
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023
OUD/KALW. 5/2
GEM. SI/KALW. 96/2

FCT 050127

TOR 030013
OUD/KALW. 8/6
GEM. SI/KALW. 99/6

LAR 050186

**Geboortegemak
Waarde
93**

**Speenkalf
Waarde
109**

**Vrugbaarheids-
waarde
110**

**Onderhouds-
waarde
99**

**Koeiwaarde
111**

**Groei-
waarde
105**

**Karkas-
waarde
107**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	111	97	112	98	102	127	110	102	95	99	96	98	110	96	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
102	97	95	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17



BULLS

LOT 19 BOTTERFONTEIN ESTATES CC



KTB 240268
2024-12-03
SP

Parentage Sire Dam

DNA ☒ ☒
Genomic

KTB 210126



KTB 210066
AGE/CALV. 5/2
AVG. Wt/CALV. 128/1
ICP 432

CCV 150096

KTB 180059

AGE/CALV. 7/4
AVG. Wt/CALV. 110/4
ICP 429

DAJ 150071

KTB 140018

AGE/CALV. 12/9
AVG. Wt/CALV. 113/8
ICP 428

WAT 090154

CCV 110023

AGE/CALV. 8/3
AVG. Wt/CALV. 105/3

DAJ 150071

KTB 150125
AGE/CALV. 10/8
AVG. Wt/CALV. 103/8

TOR 070049

DAJ 120117

AGE/CALV. 8/5
AVG. Wt/CALV. 99/5

KTB 090045

KTB 040244

AGE/CALV. 11/8
AVG. Wt/CALV. 102/8

Calving Ease
Value
87

Weaner Calf
Value
137

Fertility
Value
100

Maintenance
Value
72

Cow Value
124

Growth
Value
112

Carcass
Value
119

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	130	115	124	92	96	119	130	114	118	134	123	124	112	100	101
													Myostatin		
													Q204X		0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 20 BOTTERFONTEIN ESTATES CC



KTB 240171
2024-10-18
SP

Parentage Sire Dam

DNA ☒ ☒
Genomic

EKO 200025



KTB 140088
AGE/CALV. 12/7
AVG. Wt/CALV. 87/7
ICP 465

NPT 170115 HH(c)

EKO 150045 HH(c)

AGE/CALV. 9/5
AVG. Wt/CALV. 102/3
ICP 459

KTB 090045

KTB 060124

AGE/CALV. 13/8
AVG. Wt/CALV. 104/8
ICP 485

NPT 140123

NPT 060123

AGE/CALV. 11/9
AVG. Wt/CALV. 110/9

TOR 100197

EKO 120028

AGE/CALV. 12/10
AVG. Wt/CALV. 99/9

NPT 040079

KTB 060057

AGE/CALV. 7/3
AVG. Wt/CALV. 107/3

JRP 000028

KTB 010136

AGE/CALV. 14/11
AVG. Wt/CALV. 96/10

Calving Ease
Value
99

Weaner Calf
Value
106

Fertility
Value
98

Maintenance
Value
95

Cow Value
102

Growth
Value
111

Carcass
Value
107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	114	82	124	95	96	112	116	112	128	105	104	108	105	101	113
Wean Index		365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH						Myostatin		
102		95	103	-	-	-	-						Q204X		

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 21 BOTTERFONTEIN ESTATES CC



KTB 240153
2024-10-04
SP

Parentage Sire Dam

DNA ☒ ☒
Genomic

NPT 190086



KTB 190123
AGE/CALV. 6/4
AVG. Wt/CALV. 114/3
ICP 376

NPT 160050

NPT 150122

AGE/CALV. 9/6
AVG. Wt/CALV. 103/7
ICP 369

KTB 170054

KTB 100105

AGE/CALV. 14/11
AVG. Wt/CALV. 94/11
ICP 413

JOY 120020

NPT 070295

AGE/CALV. 11/7
AVG. Wt/CALV. 102/7

JPL 090108

NPT 120296

AGE/CALV. 4/2
AVG. Wt/CALV. 88/2

KTB 140044

KTB 110090

AGE/CALV. 13/9
AVG. Wt/CALV. 104/8

JRP 070067

KTB 040089

AGE/CALV. 8/3
AVG. Wt/CALV. 101/3

Calving Ease
Value
84

Weaner Calf
Value
152

Fertility
Value
103

Maintenance
Value
66

Cow Value
133

Growth
Value
128

Carcass
Value
129

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	147	102	110	94	94	129	150	127	125	145	132	138	124	97	110
													Myostatin		
													Q204X		0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 22 BOTTERFONTEIN ESTATES CC



KTB 240211
2024-10-18
SP

Ouerskap Vaar Moer

DNS ☒
Genomies

NPT 200026



KTB 150025
OUD/KALW. 11/7
GEM. SI/KALW. 99/6
TKP 496

CEF 160380

NPT 150196
OUD/KALW. 10/7
GEM. SI/KALW. 106/6
TKP 438

JRP 100044

KTB 110048
OUD/KALW. 6/3
GEM. SI/KALW. 108/3
TKP 583

CEF 130317 HH(c)

CEF 110175
OUD/KALW. 8/6
GEM. SI/KALW. 104/5

NPT 120136

NPT 090107
OUD/KALW. 10/7
GEM. SI/KALW. 105/6

LAR 070055

JRP 040007
OUD/KALW. 14/10
GEM. SI/KALW. 106/11

JRP 070067

KTB 080122
OUD/KALW. 11/6
GEM. SI/KALW. 108/6

Geboortegemak
Waarde
95

Speenkalf
Waarde
120

Vrugbaarheids-
waarde
88

Onderhouds-
waarde
87

Koeiwaarde
107

Groei-
waarde
106

Karkas-
waarde
111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	125	87	112	86	88	111	122	109	121	114	118	124	117	90	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	99	96	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 23 BOTTERFONTEIN ESTATES CC



KTB 240029
2024-07-10
SP

Ouerskap Vaar Moer

DNS ☒
Genomies

KTB 170054



KTB 180008
OUD/KALW. 8/5
GEM. SI/KALW. 93/4
TKP 414

KTB 140044

KTB 110090
OUD/KALW. 13/9
GEM. SI/KALW. 104/8
TKP 472

KTB 130070

KTB 150044
OUD/KALW. 106/3
TKP 535

JRP 100044

KTB 030087
OUD/KALW. 12/8
GEM. SI/KALW. 106/8

NPT 080235

KTB 030157
OUD/KALW. 12/8
GEM. SI/KALW. 97/7

DAJ 090086

KTB 100050
OUD/KALW. 12/8
GEM. SI/KALW. 100/7

JRP 100044

KTB 110015
OUD/KALW. 6/3
GEM. SI/KALW. 101/3

Geboortegemak
Waarde
84

Speenkalf
Waarde
129

Vrugbaarheids-
waarde
105

Onderhouds-
waarde
81

Koeiwaarde
120

Groei-
waarde
-

Karkas-
waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	131	99	104	98	98	123	132	107	117	122	119	123	107	88	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	92	95	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 24 BOTTERFONTEIN ESTATES CC



KTB 240266
2024-12-01
SP

Ouerskap Vaar Moer

DNS ☒ ☒
Genomies

GFM 200191



KTB 200083
OUD/KALW. 6/4
GEM. SI/KALW. 106/3
TKP 346

GCD 150113 HH(c)

BBN 090001
OUD/KALW. 12/9
GEM. SI/KALW. 98/9
TKP 413

KTB 140007

KTB 150035
OUD/KALW. 103/5
GEM. SI/KALW. 103/5
TKP 429

LAR 070090

GCD 110040
OUD/KALW. 11/8
GEM. SI/KALW. 112/7

JRB 030021

BBN 030090
OUD/KALW. 8/6
GEM. SI/KALW. 98/5

KTB 110001

KTB 040129
OUD/KALW. 11/8
GEM. SI/KALW. 98/7

NPT 110168

KTB 120090
OUD/KALW. 14/11
GEM. SI/KALW. 99/11

Geboortegemak
Waarde
104

Speenkalf
Waarde
107

Vrugbaarheids-
waarde
99

Onderhouds-
waarde
97

Koeiwaarde
106

Groei-
waarde
99

Karkas-
waarde
99

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	105	101	91	98	99	104	105	101	104	101	113	109	95	92	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
116	96	97	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17



BULLS

LOT 25 BOTTERFONTEIN ESTATES CC



KTB 240215
2024-10-14
SP

Parentage Sire Dam

DNA ☒
Genomic ☒

NPT 200026



KTB 150137
AGE/CALV. 10/7
AVG. WU/CALV. 98/7
ICP 429

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. WU/CALV. 106/6
ICP 438

JRP 100044

KTB 070140
AGE/CALV. 15/11
AVG. WU/CALV. 82/13
ICP 393

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. WU/CALV. 104/5

NPT 120136

NPT 090107
AGE/CALV. 10/7
AVG. WU/CALV. 105/6

LAR 070055

JRP 040007
AGE/CALV. 14/10
AVG. WU/CALV. 106/11

CEF 010393

KTB 010118
AGE/CALV. 14/9
AVG. WU/CALV. 100/9

Calving Ease
Value
104

Weaner Calf
Value
117

Fertility
Value
89

Maintenance
Value
91

Cow Value
106

Growth
Value
106

Carcass
Value
108

Calf and Mother

Fertility

Post-Wean Growth

Frame

Carcass

Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	122	81	105	82	95	106	120	107	124	111	113	119	112	93	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	91	103	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 26 BOTTERFONTEIN ESTATES CC



KTB 240214
2024-10-20
SP

Parentage Sire Dam

DNA ☒
Genomic ☒

NPT 200026



KTB 140075
AGE/CALV. 10/8
AVG. WU/CALV. 99/8
ICP 392

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. WU/CALV. 106/6
ICP 438

KTB 090045

KTB 040139
AGE/CALV. 13/8
AVG. WU/CALV. 102/8
ICP 460

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. WU/CALV. 104/5

NPT 120136

NPT 090107
AGE/CALV. 10/7
AVG. WU/CALV. 105/6

NPT 040079

KTB 060057
AGE/CALV. 7/3
AVG. WU/CALV. 107/3

JRP 000028

KTB 010005
AGE/CALV. 8/5
AVG. WU/CALV. 105/5

Calving Ease
Value
100

Weaner Calf
Value
113

Fertility
Value
104

Maintenance
Value
91

Cow Value
111

Growth
Value
107

Carcass
Value
109

Calf and Mother

Fertility

Post-Wean Growth

Frame

Carcass

Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	117	90	120	99	105	106	115	110	122	109	113	116	103	101	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	101	106	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17



The Victoria Butchery & Deli
072 928 3009



Plan with Us

We assist with the following services:

- Financial & Estate Planning
- Estate Administration
- Investments
- Long Term Insurance
- Short Term Insurance
- Medical Aid
- Tax & Accounting Services



Multitrust

— INSURANCE • TAX • WEALTH —

Multitrust is an authorised Financial Services Provider (FSP13588 & FSP32825)

 4 Robinson Road, Cathcart

 045 8431 227

 info@multitrust.net

 multitrust.info

 Facebook



Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	230	7.88	-	-	0.98 1.87	-0.28 -0.86	14.9 26.3	3.7 4.1	25 52	22 47	79 118	-37 -61	12.8 19.9	-3.0 6	14.0 28	107	-	112	104	6.0	98
1	KTB 240110	M	B	37	245	7.69	-	-	2.47	-1.52	30.2	5.5	62.1	55.3	106	-66	18.8	13	35	108	-	110	101	4	85
2	KTB 240052	M	SP	32	219	6.18	-	-	0.31	-0.99	17.0	4.0	41.0	27.1	81	-57	12.3	0	18	103	-	99	94	10	104
3	KTB 240154	M	SP	39	263	9.68	-	-	3.16	-0.36	30.9	8.5	58.9	58.7	149	-59	18.8	13	36	116	-	110	116	4	109
4	KTB 240135	M	SP	37	237	9.02	-	-	2.52	-0.68	23.7	8.9	54.2	56.2	129	-66	20.7	4	28	104	-	113	102	7	95
5	EKO 230031	M	SP	30	227	6.22	-	-	-0.13	0.01	26.0	1.8	54.4	48.7	157	-59	21.6	-6	27	110	-	115	109	2	54
6	EKO 230023	M	SP	33	204	7.27	-	-	0.48	0.10	21.1	-0.8	42.5	33.1	133	-45	11.1	-5	15	95	-	97	105	3	84
7	KTB 240256	M	B	37	221	7.49	-	-	2.51	-1.28	27.9	8.0	51.9	53.1	94	-59	18.5	12	33	112	-	110	105	7	110
8	KTB 240245	M	SP	36	224	7.11	-	-	2.68	-1.19	33.0	-4.3	54.9	54.4	130	-80	29.8	7	32	114	-	129	99	6	89
9	KTB 240048	M	SP	38	221	7.45	-	-	3.28	-1.57	32.0	7.5	66.9	59.2	118	-80	26.8	13	34	101	-	123	103	7	111
10	KTB 240077	M	SP	38	233	10.3	-	-	2.53	-0.65	27.0	9.9	58.8	45.3	144	-62	20.3	10	32	101	-	113	108	4	104
11	EKO 230015	M	SP	38	208	7.42	-	-	2.40	-0.67	26.9	3.6	55.3	76.8	174	-60	28.6	4	32	95	-	127	107	8	108
12	EKO 230011	M	SP	37	214	7.25	-	-	0.17	-0.94	15.7	7.1	37.7	20.7	104	-36	25.9	-17	9	99	-	122	99	8	107
13	KTB 240207	M	SP	36	255	7.81	-	-	1.92	-0.91	33.3	5.8	61.1	59.3	139	-86	27.9	15	42	113	-	125	106	5	94
14	KTB 240141	M	SP	31	237	7.45	-	-	-0.20	-0.46	16.5	12.4	38.1	25.2	93	-50	21.1	1	19	107	-	114	111	7	93
15	KTB 240182	M	SP	39	277	8.35	-	-	3.41	-1.43	36.1	5.0	62.2	71.9	129	-59	17.2	12	37	123	-	107	104	5	105
16	KTB 240168	M	SP	31	244	9.69	-	-	1.91	-0.49	27.1	3.1	52.9	56.2	94	-53	15.7	10	27	110	-	105	104	3	109
17	EKO 230055	M	SP	41	205	7.88	-	-	0.89	-0.18	15.7	0.6	24.7	5.5	47	-30	5.8	-15	1	97	-	88	96	6	94
18	EKO 230072	M	SP	40	212	7.04	-	-	1.85	-0.52	20.9	2.7	38.2	20.9	86	-29	20.1	-6	12	102	-	112	102	5	91
19	KTB 240268	M	SP	35	245	7.54	-	-	2.51	-0.60	31.2	8.4	59.0	72.6	134	-66	27	15	35	128	-	124	128	2	97
20	KTB 240171	M	SP	37	233	9.56	-	-	1.57	-1.31	22.7	-1.9	45.7	30.3	123	-82	27.3	0	21	102	-	124	87	7	92
21	KTB 240153	M	SP	39	274	8.71	-	-	3.76	-1.14	40.1	4.3	78.8	87.8	183	-78	18.5	22	48	122	-	110	114	4	106
22	KTB 240211	M	SP	36	195	7.2	-	-	2.05	-1.12	28.5	-0.3	50.8	43.0	112	-71	19.7	12	35	98	-	112	99	7	91
23	KTB 240029	M	SP	39	217	7.88	-	-	3.11	-1.37	31.4	3.4	62.4	54.2	107	-65	15.1	12	34	98	-	104	93	5	100
24	KTB 240266	M	SP	34	224	7.23	-	-	0.96	-0.86	17.8	4.1	34.8	24.1	84	-43	7.1	7	21	116	-	91	106	4	116
25	KTB 240215	M	SP	35	235	7.97	-	-	1.11	-1.17	26.9	-2.2	49.7	37.7	104	-77	15.9	7	30	104	-	105	98	7	97
26	KTB 240214	M	SP	36	200	7.56	-	-	1.42	-0.97	24.1	0.6	44.5	35.6	118	-73	24.5	7	28	102	-	120	99	8	109

Commercial Females

(Not sold under the auspices of the Bonsmara society of South Africa)

LOT	SELLER	QTY	Description	Identification tags			REMARKS	BUYER	PRICE
31	Botterfontein Estates, KTB	1	3 - in - 1	KTB21- 60			Calf at foot + Pregnant again		
32	Botterfontein Estates, KTB	2	Cows with Calves	KTB23-65	KTB22-44		26-83 26-47		
33	Botterfontein Estates, KTB	2	Cows with Calves	KTB22-253	KTB22-172		26-63 26-84		
34.1	Botterfontein Estates, KTB	1	Young Cow with calf	KTB20-66					
34.2		3	Pregnant Cows	KTB20-76	KTB20-34	KTB22-229	Young		
35	Botterfontein Estates, KTB	3	Pregnant Cows	KTB21-265	KTB21-97	KTB21-99			
36	Botterfontein Estates, KTB	4	Pregnant Heifers	KTB24-34 KTB24-14	KTB24-56 KTB24-44				
37	Botterfontein Estates, KTB	6	Pregnant Heifers	KTB23-64 KTB23-142	KTB23-198 KTB23-93	KTB23-218 KTB23-114			
38	Botterfontein Estates, KTB	6	Pregnant Heifers	KTB23-112 KTB23-144	KTB23-325 KTB23-162	KTB23-324 KTB23-226			
39	Botterfontein Estates, KTB	6	Pregnant Heifers	KTB23-175 KTB23-209	KTB23-176 KTB23-255	KTB23-257 KTB23-80			
40.1	Botterfontein Estates, KTB	1	Pregnant Heifer	KTB23-300			1.5 months In calf		
40.2		4	Open Heifers	KTB23-73 KTB23-217	KTB23-268 KTB23-311		Running with bull		
41.1	Botterfontein Estates, KTB	1	Pregnant Heifer	KTB23-134			1.5 Months in calf)		
41.2		4	Open Heifers	KTB23-249 KTB23-241	KTB23-223 KTB23-28		Running with bull		
42.1	Botterfontein Estates, KTB	1	Pregnant Heifer	KTB23-314			In Calf		
42.2		3	Open Heifers	KTB24-18	KTB23-163	KTB23-295	Running with bull		
43	Botterfontein Estates, KTB	5	Open Heifers	KTB24-22 KTB23-219	KTB23-279 KTB23-305	KTB23-195	Running with bull		

Thank You for your support!

LIONEL'S
VETERINARY SUPPLIES

WinSalt

LIONEL'S

VETERINARY SUPPLIES

JAMIE RENTON

Eastern Cape

+27 (0) 83 659 8442 • jamie@lionelsvet.co.za

Office: +27 (0) 41 451 1900 • www.lionelsvet.co.za
Plot 19, Old Seaview Road, Greenbushes, Port Elizabeth, South Africa

SHEARD AUCTIONEERS - CONDITIONS OF SALE

1. The sale transaction is a CASH transaction and no concession or indulgence that may at any time be granted shall derogate from the stated nature of the transaction as being one for CASH.
2. The parties agree that the Cathcart Magistrates Court shall have jurisdiction in relation to any legal proceedings arising from this agreement notwithstanding that the subject matter or cause of action would otherwise be beyond the jurisdiction of the Magistrate's Court
3. All goods and or livestock (hereinafter referred to as "assets") are sold by SHEARD AUCTIONEERS on behalf of the Seller.
4. The Seller acknowledges that there are no encumbrances on such assets and that it is his property.
5. SHEARD AUCTIONEERS accepts no liability for any statements of guarantees which may appear in catalogues or advertisements or which may be given verbally by its officers or a Seller.
6. The Seller who offers any assets for sale, accepts sole liability in regard to information furnished as to pedigree, ages, dates of service, state of health or any other particulars which might be incorrect and is the Purchaser's sole recourse in case of a dispute will be against the Seller.
7. The Purchaser shall not be entitled to withhold any payment of the purchase price to SHEARD AUCTIONEERS as a result of any possible or pending claim that he may have against the Seller on grounds of misrepresentation or for any other reason whatsoever.
8. Subject to any reserve placed on any assets by the Seller, the highest bidder shall become the Purchaser. All assets shall immediately after the bid being knocked down, be considered as delivered to the Purchaser.
9. All profit, loss or risk in the assets will pass to the Purchaser once it has been delivered to the Purchaser, who shall at his own expense remove it from the sale venue.
10. SHEARD AUCTIONEERS reserves the right to refuse the bid of any person, to regulate bidding, to indicate the highest bidder and to vary the orders of the sale at any time without giving reasons therefore. If the auctioneer suspects that a bidder is unable to pay the purchase price, or has not made satisfactory arrangements for payment of the purchase price, he may refuse to accept the bid of such a bidder, or accept it provisionally until the bidder has satisfied him that he is in a position to pay the purchase price or that he has made satisfactory arrangements for payment thereof. On refusal of a bid under such circumstances, the asset may immediately be re-auctioned.
11. In the event of a dispute arising amongst the bidders, the assets in dispute shall, at the discretion of SHEARD AUCTIONEERS, be re-auctioned.
12. SHEARD AUCTIONEERS / the auctioneer shall incur no liability for damages in respect of any action by the auctioneer or his helpers. The auctioneer shall be entitled to auction the assets at his own discretion.
13. All assets are sold "voetstoots" and SHEARD AUCTIONEERS shall not be liable for any defects, latent or otherwise which may exist with or without the knowledge of SHEARD AUCTIONEERS.
14. The Purchaser shall prior to the sale ascertain whether there are any defects in the as
15. SHEARD AUCTIONEERS shall not be liable for any loss or damage caused to an asset while under the supervision of SHEARD AUCTIONEERS or its officials, notwithstanding an undertaking to care for, to attend to, to dispatch or deliver the assets.
16. The purchase price is payable in CASH or payment by Bank Guaranteed cheques only, directly to SHEARD AUCTIONEERS prior to the removal of the assets, unless specified and satisfactory credit arrangements have been made.
17. Cash or Cheques tendered for payment must include bank charges if required. SHEARD AUCTIONEERS reserves the right to refuse any cheque as payment. A 1.5% Cash deposit fee will be added to the amount due.
18. The Purchaser admits/accepts that although he has obtained possession and control of the assets with or without the approval/assistance of SHEARD AUCTIONEERS, ownership of the lot or assets will remain that of the SELLER until the purchase price has been paid in full to SHEARD AUCTIONEERS with the provision that the risk in the assets or lot passes to the Purchaser at the fall of the hammer.
19. The Seller cedes all his rights to recourse against the Purchaser to SHEARD AUCTIONEERS on the fall of the hammer.
20. Should the Purchaser default to pay the purchase price, SHEARD AUCTIONEERS shall be entitled to:
 - a. Claim from the Purchaser interest at the maximum allowable rate calculated from the date of purchase to date of settlement; and/or
 - b. Repossess the assets, to resell the same at the risk of the defaulting Purchaser who shall be liable for all costs in connection with the resale and any loss of damage incurred and will not be entitled to any profit that may arise for the sale; and/or
 - c. Institute legal proceedings for the payment of the amount owing of for the return of the assets in which event the conditions of 18. b will apply; and/or
 - d. Recover any legal cost calculated at the Attorney/Client tariff as well as collection of debts.
21. The entries made in SHEARD AUCTIONEERS' auction roll shall be conclusive evidence of the transaction and shall be binding on the Seller and the Purchaser.
22. Any person who purchases on behalf of a Principle must supply SHEARD AUCTIONEERS with a letter of authority prior to the commencement of the sale, failing which, he will be held liable for payment of any purchase made by him.
23. All persons entering the sale venue do so at their own risk and SHEARD AUCTIONEERS shall not be liable for any injuries, damages or losses of any nature whatsoever.
24. SHEARD AUCTIONEERS reserves the right to amend without prior notice these conditions at any time either in writing or verbally
25. Any assets entered or offered for sale on the day of the auction, are subject to payment of usual commission by the Seller to SHEARD AUCTIONEERS, whether the assets are sold at the auction or thereafter, with or without the knowledge of SHEARD AUCTIONEERS, but as a result of this auction. sets, and any bid by the Purchaser shall be considered as acceptance of the assets with defects or in their condition at the time of the sale.

